



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

4601 N Monroe Street • Spokane, Washington 99205-1295 • (509)329-3400

May 10, 2016

Mr. Steven Hudson  
1590 Wallula Avenue  
Walla Walla, Washington 99362

Re: Application for Change under Ground Water Certificate No. 909-A(B)

Dear Mr. Hudson:

In response to your request, you are hereby granted an extension to put the water to full beneficial use for the reason(s) below:

According to your request, you were unaware of the need for a measuring device until recently. You have indicated that it will take additional time to obtain the required funds and have the flow meter properly installed. In review of your request for extension, it appears you have made progress completing your project and putting water to beneficial use. Your request is for a reasonable period of time. We will grant you an additional year to put water to complete the project and put water to full beneficial use.

The new deadline to submit your *Proof of Appropriation of Water* is **May 1, 2017**.

The water right holder is required to maintain efficient water delivery systems and use of up-to-date water conservation practices consistent with RCW 90.03.005.

The water right holder must file the notice of Proof of Appropriation of water (under which the certificate of water right is issued) when the permanent distribution system has been constructed and the quantity of water required by the project has been put to full beneficial use. The certificate will reflect the extent of the project perfected within the limitations of the water right. Elements of a proof inspection may include, as appropriate, the source(s), system instantaneous capacity, beneficial use(s), annual quantity, place of use, and satisfaction of provisions.

#### YOUR RIGHT TO APPEAL

You have a right to appeal this action to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this document. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).



Mr. Hudson  
GW Cert. No. 909-A(B)  
Page 2  
May 10, 2016

To appeal, you must do the following within 30 days of the date of receipt of this document:

- File your appeal and a copy of this document with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this document on Ecology in paper form - by mail or in person. (See addresses below.) Email is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel Road SW Suite 301 Tumwater , WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

For additional information visit the Environmental Hearings Office Website:  
<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser> .

If you have any questions, please contact Dan Tolleson at 509-329-3526.

Sincerely,



Keith L. Stoffel  
Section Manager  
Water Resources Program  
Eastern Regional Office

KLS/DT:md

Enclosures: *Proof of Appropriation of Water  
Your Right to Be Heard*